

**Product Name:** Joint Comfort

**Primary Ingredient(s):** Zoara<sup>®</sup>

**References Zoara:**

- Nelson, F., et. Al; The effects of an oral preparation containing hyaluronic acid (Oralvisc<sup>®</sup>) on obese knee osteoarthritis patients determined by pain, function, bradykinin, leptin, inflammatory cytokines, and heavy water analyses; *Rheumatol Int.*; 2014; DOI 10.1007/s00296-014-3047-6 (See Erratum also)
- Shep D, Khanwelkar C, Gade P, Karad S., Safety and efficacy of curcumin versus diclofenac in knee osteoarthritis- a randomized open-label parallel-arm study. *Trials*. 2019 Apr 11;20(1)-214.
- Bakilan, F., Armagan, O., Ozgen, M., Tascioglu, F., Bolluk, O., & Alatas, O. (2016). Effects of Native Type II Collagen Treatment on Knee Osteoarthritis: A Randomized Controlled Trial. *The Eurasian journal of medicine*, 48(2), 95–101. <https://doi.org/10.5152/eurasianjmed.2015.15030>
- Haroyan A, Mukuchyan V, Mkrtychyan N, Minasyan N, Gasparyan S, Sargsyan A, Narimanyan M, Hovhannisyan A. Efficacy and safety of curcumin and its combination with boswellic acid in osteoarthritis: a comparative, randomized, double-blind, placebo-controlled study. *BMC Complement Altern Med*. 2018 Jan 9;18(1):7. doi: 10.1186/s12906-017-2062-z. PMID: 29316908; PMCID: PMC5761198.
- Kalman DS, Heimer M, Valdeon A, Schwartz H, Sheldon E. Effect of a natural extract of chicken combs with a high content of hyaluronic acid (Hyal-Joint) on pain relief and quality of life in subjects with knee osteoarthritis: a pilot randomized double-blind placebo-controlled trial. *Nutr J*. 2008 Jan 21;7:3. doi: 10.1186/1475-2891-7-3. PMID: 18208600; PMCID: PMC2245974.
- Kizhakkedath R. Clinical evaluation of a formulation containing *Curcuma longa* and *Boswellia serrata* extracts in the management of knee osteoarthritis. *Mol Med Rep*. 2013 Nov;8(5):1542-8. doi: 10.3892/mmr.2013.1661. Epub 2013 Aug 29. PMID: 24002213.
- Di Cesare Mannelli, L., Micheli, L., Zanardelli, M., & Ghelardini, C. (2013). Low dose native type II collagen prevents pain in a rat osteoarthritis model. *BMC musculoskeletal disorders*, 14, 228. <https://doi.org/10.1186/1471-2474-14-228>

- 
- Martínez-Puig, D., Möller, I., Fernández, C., & Chetrit, C. (2012). Efficacy of oral administration of yoghurt supplemented with a preparation containing hyaluronic acid (Mobilee™) in adults with mild joint discomfort: a randomized, double-blind, placebo-controlled intervention study. *Mediterranean Journal of Nutrition and Metabolism*, 6, 63-68.
  - Oe, M., Tashiro, T., Yoshida, H., Nishiyama, H., Masuda, Y., Maruyama, K., Koikeda, T., Maruya, R., & Fukui, N. (2016). Oral hyaluronan relieves knee pain: a review. *Nutrition journal*, 15, 11. <https://doi.org/10.1186/s12937-016-0128-2>
  - Solà R, Valls RM, Martorell I, Giralte M, Pedret A, Taltavull N, Romeu M, Rodríguez À, Moriña D, Lopez de Frutos V, Montero M, Casajuana MC, Pérez L, Faba J, Bernal G, Astilleros A, González R, Puiggrós F, Arola L, Chetrit C, Martínez-Puig D. A low-fat yoghurt supplemented with a rooster comb extract on muscle joint function in adults with mild knee pain: a randomized, double blind, parallel, placebo-controlled, clinical trial of efficacy. *Food Funct*. 2015 Nov;6(11):3531-9. doi: 10.1039/c5fo00321k. Epub 2015 Aug 24. PMID: 26302034.
  - Saadati S, Sadeghi A, Mansour A, Yari Z, Poustchi H, Hedayati M, Hatami B, Hekmatdoost A. Curcumin and inflammation in non-alcoholic fatty liver disease: a randomized, placebo controlled clinical trial. *BMC Gastroenterol*. 2019 Jul 25;19(1):133. doi: 10.1186/s12876-019-1055-4. PMID: 31345163; PMCID: PMC6659284.
  - Sánchez J, Bonet ML, Keijer J, van Schothorst EM, Mölller I, Chetrit C, Martínez-Puig D, Palou A. Blood cells transcriptomics as source of potential biomarkers of articular health improvement: effects of oral intake of a rooster combs extract rich in hyaluronic acid. *Genes Nutr*. 2014 Sep;9(5):417. doi: 10.1007/s12263-014-0417-3. Epub 2014 Jul 15. PMID: 25024048; PMCID: PMC4172652.
  - Scarpellini M, Lurati A, Vignati G, et al. Biomarkers, type II collagen, glucosamine and chondroitin sulfate in osteoarthritis follow-up: the "Magenta osteoarthritis study". *J Orthop Traumatol*. 2008;9(2):81-87. doi:10.1007/s10195-008-0007-5
  - Shep D, Khanwelkar C, Gade P, Karad S. Safety and efficacy of curcumin versus diclofenac in knee osteoarthritis: a randomized open-label parallel-arm study. *Trials*. 2019 Apr 11;20(1):214. doi: 10.1186/s13063-019-3327-2. PMID: 30975196; PMCID: PMC6460672.
  - Toden, S., Theiss, A.L., Wang, X. et al. Essential turmeric oils enhance anti-inflammatory efficacy of curcumin in dextran sulfate sodium-induced colitis. *Sci Rep* 7, 814 (2017). <https://doi.org/10.1038/s41598-017-00812-6>

- 
- Torrent, A., Ruhi, R., et.al. Comparative efficacy of IB0004, extracted hyaluronic acid (HA) and fermented HA on the synthesis of endogenous ha by humansynoviocytes. *Osteoarthritis and Cartilage* Vol. 17, Supplement; S278-S279. Bioiberica, S.A., Barcelona, Spain;2Univ. of Arizona, Tucson, AZ;3Unidad de Investigación, CHU Juan Canalejo, A Coruña, Spain
  - Antony B, Merina B, Iyer VS, Judy N, Lennertz K, Joyal S. A Pilot Cross-Over Study to Evaluate Human Oral Bioavailability of BCM-95CG (Biocurcumax), A Novel Bioenhanced Preparation of Curcumin. *Indian J Pharm Sci.* 2008 Jul-Aug;70(4):445-9. doi: 10.4103/0250-474X.44591. PMID: 20046768; PMCID: PMC2792534.
  - Vinaykumar, S., Rathnakar, U. P., Dinkar, U. S., Priyanka, K., Gaurav, T., Kudgi, A. S., & Nishith, R. S. (2016). Anti-inflammatory activity of BCM-95 (bioenhanced formulation of turmeric with increased bioavailabilty) compared to Curcumin in Wistar rats. *Pharmacognosy Journal*, 8(4), 380-384.  
<https://doi.org/10.5530/pj.2016.4.11>
  - Moriña D , Fernández-Castillejo S , Valls RM , Pedret A , Taltavull N , Romeu M , Giralt M , Montero M , Bernal G , Faba J , Pérez-Merino L , Gonzalez R , Casajuana MC , Rodríguez Á , Arola L , Puiggrós F , Möller I , Chetrit C , Martinez-Puig D , Solà R . Effectiveness of a low-fat yoghurt supplemented with rooster comb extract on muscle strength in adults with mild knee pain and mechanisms of action on muscle regeneration. *Food Funct.* 2018 Jun 20;9(6):3244-3253. doi: 10.1039/c8fo00286j. PMID: 29888778.